

# 1000 URETHANES

PRODUCT	TYPE	SOLIDS (%)	PH	HARDNESS	DESCRIPTION
1020 UR	Aromatic	18	7.75	medium soft	Adhesion Aromatic Urethane
1417 UR	Aliphatic	11.8	7	very soft	Aliphatic Urethane for precoat
1420 UR	Aliphatic	20	8	soft	Amphoteric Aliphatic Urethane for base coat
1432 UR	Aliphatic	37	8	medium soft	Aliphatic Urethane for base coat
1434 UR	Copolymer Acryl-Urethane	8	7.5	soft	Copolymer Acrylic-Urethane for base coat
1435 UR	Aliphatic	35	8	medium soft	Aliphatic Urethane for basecoat
1441 UR	Aliphatic	15	7.5	soft	Aliphatic Urethane polishable
1443 UR	Aliphatic	30	7.5	medium hard	Aliphatic Urethane for base coat
1444 UK	Aliphatic	15	4.5	very soft	Cationic Urethane for base coat
1446 UK	Aliphatic	15	5	very soft	Cationic Urethane for base coat
1465 UR	Aliphatic	30	7.5	soft	Aliphatic Urethane for base coat
1635 UR	Polycarbonate	20	8	soft	Dull urethane without matting agents for base coat
1676 UR	Polycarbonate	30	9	soft	Dull urethane without matting agents for base coat
1677 UR	Polycarbonate	25.5	8	medium hard	Dull urethane without matting agents for top coat
1678 UR	Polycarbonate	29.5	8.5	medium hard	Dull urethane without matting agents for top coat
1679 UR	Aliphatic	6.5	8.5	soft	Aliphatic Urethane adhesion promoter
1680 UR	Aliphatic	20	8.5	medium hard	Dull Aliphatic Urethane
1691 UR	Aliphatic	22	8.5	medium hard	Dull Aliphatic Urethane for top coat
1693 UR	Aliphatic	17.5	9.8	medium soft	Dull Aliphatic Urethane for top coat
1694 UR	Aliphatic	20	8.5	medium soft	Dull Aliphatic Urethane for top coat
1695 UR	Aliphatic	21	8	soft	Dull Aliphatic Urethane Self Croslinkable
1697 UR	Aliphatic	22	8.5	medium hard	Dull Aliphatic Urethane for top coat
1703 UR	Aliphatic	30		soft	Aliphatic Urethane Bicomponent
1706 UR	Aliphatic	16.5	8	hard	Aliphatic Urethane for top coat
1707 UR	Aliphatic	20	9	medium soft	Aliphatic Urethane for base coat

PRODUCT	TYPE	SOLIDS (%)	PH	HARDNESS	DESCRIPTION
1711 UR	Aliphatic	30.5	8	medium soft	Aliphatic Urethane patent leather effect
1713 UR	Aliphatic	17.5	8.8	soft	Aliphatic Urethane
1715 UR	Aliphatic	15	8.8	soft	Aliphatic Urethane for top coat
1716 UR	Aliphatic	35	9.5	hard	Aliphatic Urethane for top coat
1721 UR	Aliphatic	35	9	medium hard	Aliphatic Urethane for top coat
1722 UR	Aliphatic	20	8.5	medium soft	Glossy Aliphatic Urethane self crosslinkable
1748 UR	Aliphatic	30	8.5	medium hard	Aliphatic Urethane for base coat
1751 UR	Aliphatic	33	8	hard	Aliphatic Urethane for top coat
1753 UR	Copolymer Urethane-Acrylic	30	9	soft	Acrylic-Urethane Copolymer for base coat
1786 UR	Aliphatic	25	8	soft	Aliphatic Urethane for top coat
1920 UR	Aromatic	15		medium soft	Solvent Urethane Adhesion promoter